

# IPMI Firmware Release Notes

*Supermicro disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade. All products, computer systems, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Supermicro and the Supermicro logo are trademarks of Super Micro Computer, Inc. in the U.S. and/or other countries. Copyright © 2018 Super Micro Computer, Inc. All rights reserved.*

<b>Product Name</b>	<b>X10DRFF-C(T)G/I(T)G</b>
<b>Release Version</b>	<b>3.96</b>
<b>Build Date</b>	<b>5/11/2020</b>
<b>Previous Version</b>	<b>3.92</b>
<b>Update Category</b>	<b>Recommended</b>
<b>Dependencies</b>	<b>None</b>
<b>Important Notes</b>	<b>None</b>
<b>Enhancements</b>	<ol style="list-style-type: none"><li>1. Prevent gateway shown as 0 in webUI.</li><li>2. Updated Jarsigner certificate.</li><li>3. Synced severity and description of SW team SELs.</li></ol>
<b>New features</b>	<b>None</b>
<b>Fixes</b>	<ol style="list-style-type: none"><li>1. Fixed inability of existing user to modify user name on web page.</li><li>2. Corrected WebGUI display when hostname is too long.</li><li>3. Corrected health event log severity and descriptions.</li><li>4. Allow remotely enable/disable UID.</li><li>5. Show correct status of share LAN through IPMI.</li><li>6. Save DDNS settings on web pages in Japanese/SC languages.</li><li>7. Corrected SSL Certificate update page turning to a white page or 500 Internal Server Error.</li><li>8. Prevent server certificate and private key wiped when user tries to update new SSL certificate and private key.</li><li>9. SNMP no longer loses certain sensor information.</li><li>10. Restore HTTPS port when restoring IPMI configuration.</li><li>11. Correct IPMI WebUI Fan Mode Help description.</li><li>12. Corrected failure to mount CD via Redfish.</li><li>13. Allow installing/mounting large ISO image (over 5GB) through HTTP.</li></ol>