

IPMI Firmware Release Notes Form

Supermicro disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade. All products, computer systems, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Supermicro and the Supermicro logo are trademarks of Super Micro Computer, Inc. in the U.S. and/or other countries. Copyright © 2018 Super Micro Computer, Inc. All rights reserved.

Product Name	H12DSG-Q-CPU6
Release Version	1.00.37
Build Date	07/27/2021
Previous Version	1.00.34
Update Category	Recommended
Dependencies	BIOS 2.1
Important Notes	ECO #25629 IPMI image: BMC_H12AST2600-ROT-2201MS_20210727_01.00.37_STDsp.bin IPMI Update package: BMC_H12AST2600-ROT-2201MS_20210727_01.00.37_STDsp.zip Notice: Please DON'T preserve SDR when updating IPMI from the revision older than 1.00.32.
Enhancements	1. Added support for AST2600 A3 chip.
New features	1. Added threshold and hot-plug events of the pump to SEL.
Fixes	1. Fixed failure to update motherboard CPLD firmware. 2. Fixed issue of factory default options list disappearing during restore period. 3. Fixed inability of Web page to reconnect correctly after factory default. 4. Fixed issue of BIOS update through WebGUI hanging when IPMI firmware 1.00.36 is being upgraded.

Release Notes from Previous Release(s)

1.00.34 (2021/05/06)

1. Improved the PSU tab's status and information display on the sensor reading page.
2. Improved the FAN tab's status and information display on the sensor reading page.
3. Changed the maximum number of items that can be displayed on the "Network AOC" tab of the sensor reading page from 10 to 12.
4. Added the Total_Power item to the SDR list.
5. Fixed abnormality of IPMI port LED.
6. Corrected BMC events for PSU behavior.
7. Fixed abnormal behavior after turning off "Failed Login Lockout Control".
8. Corrected readings of PSU and power consumption in IPMI WebGUI.

1.00.32 (2021/04/02)

1. Set CPLD register 0x1C based on PSU type to fix CPU/GPU throttle issue.
2. Updated the IPMI sensor threshold in order to adapt to the unique floating voltage of AMD CPU.
3. Grouped HGX sensors to reduce the consumption of sensor numbers.
4. Added support for FPGA update on Redstone GPU board through Redfish API.
5. Bonded add-on card NIC number to physical PCIe slot.
6. Added cold plate pump information for liquid cooling configuration.
7. Added new "Network AOC" tab.
8. Fixed the CPU throttle control during redundant power (1+1) configuration.
9. Fixed DIMM sensor error during AC ON/OFF.
10. Fixed failure of PSU info to display.
11. Fixed issue of AOC_NIC temperature sensor reading showing as 255.
12. Fixed issue of PSU FRU dropping during ON/OFF test.
13. Fixed missing BIOS backup and golden images in the IPMI WebGUI inventory.
14. Fixed problem of drive FANs reaching full speed when system powers on.
15. Fixed failure of FAN 2 and 3 to display the speed (RPM).
16. Corrected fan curve of M2 NVMe.
17. Fixed missing STD-18380 issue Radius server IP after reloading IPMI configuration file.
18. Corrected the RPM value of the CPU pump.
19. Fixed ability of negative temperature reading to drive fan to full speed.

1.00.19 (2020/11/27)

1. Added motherboard check for MBD CPLD flash.
2. Updated the thresholds of CPU VDDCR and SOCRUN voltage.
3. Added fan working time for GPU system when the system is shut down.
4. Added support for CEC and FPGA update of GPU board.
5. Introduced smart fan speed for GPU server.
6. Fixed missing PSU information when rebooting BMC after system shutdown.
7. Fixed issue of ID 0xa0 appearing in Maintenance Event Log occasionally.
8. Fixed malfunction of Virtual Media CD-ROM mounting with IPv6.
9. Set inlet temperature sensor offset to reflect actual ambient temperature.
10. Fixed missing temperature reading for MLX card on IPMI.
11. Fixed fan duty fluctuation on CPU with small reading changes.
12. Corrected CPU1 duty and fixed grouping of duties of CPUs.
13. Fixed failure of "GPU HSC" to drive fans.
14. Corrected sensor thresholds.

1.00.12 (2020/10/30)

First release.

