

BMC Firmware Release Notes Form

Supermicro disclaims all express and implied warranties, including without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement, as well as any warranty arising from course of performance, course of dealing, or usage in trade. All products, computer systems, dates, and figures specified are preliminary based on current expectations, and are subject to change without notice. Supermicro and the Supermicro logo are trademarks of Super Micro Computer, Inc. in the U.S. and/or other countries. Copyright © 2018 Super Micro Computer, Inc. All rights reserved.

Product Name	X12DPG-QR
Release Version	1.02.08
Build Date	12/03/2021
Previous Version	N/A
Update Category	Recommended
Dependencies	None
Important Notes	None
Enhancements	
New features	1. Supports Intel Cscript via Redfish
Fixes	1. Fixed issue where the storage card controller "Create RAID" button is still enabled even when System Lockdown is disabled. 2. Fixed inconsistencies with Redfish responses. 3. NTP primary server is now checked for the correct IP address. 4. Fan curve for fan speed mode has been corrected. 5. The issue where SYS-220GQ-TNAR+ GPU S/N showing incorrectly or missing info on web GUI has been corrected.

6. Fixed ME status showing "Recovery" after finishing update after using the flash update tool.
7. New JAVA certificate installed.
8. Now supports BIOS runtime update.
9. Initial value of "Subject" is now set.
10. Corrected the titles for fields in Alerts page.
11. Changed default to "checked" to Auth and Private protocol.
12. Fixed string handling issues of the Authentication/Encryption key fields.
13. IPMI configuration files are now screened before allowing upload. Check box location has been corrected.
14. Update BIOS on Next Boot can now be triggered by "Power Reset".
15. The Enable/disable Systemlockdown issue on the web GUI is fixed.
16. Autoconfig is now enabled, when IPv6 is enabled with stateless mode, to fix TC267.
17. Issue where Domain names can't be saved in DDNS page is fixed.
18. Fixed Redfish web notifications and alerts.
19. It is no longer possible to delete a user's own account while logged in.
20. Fixed an issue where the iKVM port becomes 0 after reloading a configuration file.
21. The close button in the "Preference" page in iKVM (HTML5) has been relocated inside the page.
22. Fixed data mismatches when comparing Excel file and Web Event log.
23. Fixed an issue where the GPU location in the web GUI is not displayed clearly.
24. Fixed BBU status error.

- | | |
|--|---|
| | <p>25. Fixed IPMIECO TC 267 Mount ISO over IPv6 failure.</p> <p>26. Fixed issue where username and password requirement are inconsistent with tips/Help info [134149] - User is able to enter 65 characters as Authentication Key and Encryption key when setting Alerts with SNMPv3 protocol.</p> <p>27. Corrected issue where the CPU SEL event triggers SEL itself to return a 500 error.</p> <p>28. Fixed issue when changing languages, some texts are not translated in the web GUI.</p> <p>29. Corrected PFR "Recover" button where it greys out when DCMS license is deactivated.</p> <p>30. Fixed issue where user is unable to configure SMTP when setting Alerts.</p> <p>31. Added support for the BPN-NVME4-228N-S4 backplane.</p> |
|--|---|